#### 1. IDENTIFICATION

Product Identifier: LAUNDRY ALKALI Date of Revision: February 08, 2017

Product Code: L507 Other Name(s): DLA-220

Distributed By: HADDON HOLDINGS LIMITED

Recommended Use and Restrictions on Use: laundry alkali

Manufactured By: Ostrem Chemical Co. Ltd.

2310 - 80th Avenue NW In Case of Emergency Only, Phone

Phone: 780-440-1911

Edmonton, Alberta, Canada T6P 1N2 CANUTEC: 613-996-6666

www.ostrem.com

#### 2. HAZARDS IDENTIFICATION

Classification of the Mixture: Eye Damage/Irritation - Category 1

Skin Corrosion/Irritation - Category 1

Specific Target Organ Toxicity (Single Exposure) - Category 3

Corrosive to Metals - Category 1

**Label Elements:** 

Hazard Pictogram(s):





Signal Word: DANGER

**Hazard Statement(s):** Causes severe skin burns and eye damage.

May cause respiratory irritation. May be corrosive to metals.

Precautionary Statement(s):

Prevention: Do not breathe dusts or mists.

Wash hands thoroughly after handling.

Wear protective gloves, protective clothing, and eye/face protection.

Use only outdoors or in a well-ventilated area.

Keep only in original packaging.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or

physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do. Continue rinsing. Immediately call a poison centre or physician.

Absorb spillage to prevent material-damage.

Storage: Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a corrosion resistant container with a resistant inner liner.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical/health hazards not otherwise classified:

not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name Conc. CAS # Common Names

sodium metasilicate 30.0% 6834-92-0

DLA-220 Page 1 of 4

#### 4. FIRST-AID MEASURES

#### **Necessary Measures:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison centre or physician.

Absorb spillage to prevent material-damage.

### Most important symptoms, both acute and delayed:

Causes serious eye damage.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

#### Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

#### 5. FIRE-FIGHTING MEASURES

### Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

### Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide and oxides of sodium.

# Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

#### **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

# **Environmental precautions:**

Prevent from entering sewers, waterways or low areas.

## Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

# 7. HANDLING AND STORAGE

## Precautions for safe handling:

Do not breathe dusts or mists.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Keep only in original packaging.

Do not ingest. Avoid contact with eyes, skin and clothing.

## Conditions for safe storage, including any incompatibilities:

Store locked up.

Store in a well-ventilated place.

Keep container tightly closed.

Store in a corrosion resistant container with a resistant inner liner.

Keep out of reach of children. Store in a cool, dry area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters - Exposure limits:

DLA-220 Page 2 of 4

#### Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

#### Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

not available

## Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.): White granular powder

Odour: no odour **Odour threshold:** not available pH: 1% sol. 11.9 not available Melting/Freezing point: Initial boiling point and range: not available not applicable Flash point: **Evaporation rate:** not available not available Flammability (solid, gas): Upper/lower flammability or explosive limits: not available not available Vapour pressure: Vapour density: not available 1.000 Relative density (specific gravity): Solubility(ies): 10% not available Partition co-efficient: n-octanol/water: Auto-ignition temperature: not available not available **Decomposition temperature:** 

# 10. STABILITY AND REACTIVITY

# Reactivity:

Viscosity:

This material is considered to be non-reactive under normal use conditions.

# Chemical stability:

Stable.

### Possibility of hazardous reactions:

Reacts with acids, aluminum, fluorine, lithium, strong mineral acids

# Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

## Incompatible materials:

Oxidizers / Acid

#### Hazardous decomposition products:

not available

# 11. TOXICOLOGICAL INFORMATION

#### POTENTIAL ACUTE HEALTH EFFECTS

**Inhalation:** May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed. Eye contact: Causes serious eye damage.

**Skin contact:** Causes severe skin burns and eye damage.

**Skin absorption:** not available

## POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation: not available
Ingestion: not available
Eye contact: not available
Skin contact: not available

DLA-220 Page 3 of 4

Skin absorption: not available

Mutagenicity: not available

Carcinogenicity:

Reproductive toxicity:

Sensitization of product:

Specific Target Organ Toxicity - repeated exposure:

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

**Toxicological Data:** 

<u>Ingredient:</u> <u>Data:</u>

sodium metasilicate Oral LD50: 1153 mg/kg (rat)

Other Toxicological Information on Ingredients:

not applicable

## 12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available
not available
not available
not available
not available

## 13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

#### 14. TRANSPORT INFORMATION

TDG classification: NON-REGULATED

# **15. REGULATORY INFORMATION**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

### 16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

**Date of Preparation:** February 08, 2017 **Date of Revision:** February 08, 2017

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

**End of Document** 

DLA-220 Page 4 of 4