# **Safety Data Sheet**

# 1. IDENTIFICATION

Product Identifier: K-10 L F OSTRO DINE Date of Revision: N

Product Code: J478
Other Name(s): IO SAN

Distributed By: HADDON HOLDINGS LIMITED

Recommended Use and Restrictions on Use: cleaner-sanitizer

Manufactured By: Ostrem Chemical Co. Ltd. Phone/Emergency F

2310 - 80th Avenue NW 780-440-1911 Edmonton, Alberta, Canada T6P 1N2 Mon. - Fri. 8:00am -

www.ostrem.com

# 2. HAZARDS IDENTIFICATION

Classification of the Mixture: Serious Eye Damage/Irritation - Category 1

Skin Corrosion/Irritation - Category 1

Label Elements:

Hazard Pictogram(s):



Signal Word: DANGER

**Hazard Statement(s):** Causes severe skin burns and eye damage.

Precautionary Statement(s):

Prevention: Do not breathe dusts or mists.

Wash hands thoroughly after handling.

Wear protective gloves, protective clothing, and eye/face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a p

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sk contaminated clothing before reuse. Immediately call a poison centre or phys IF INHALED: Remove person to fresh air and keep comfortable for breathing.

centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

to do. Continue rinsing. Immediately call a poison centre or physician.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/inter

### Physical/health hazards not otherwise classified:

not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u> <u>Conc. w/w</u> <u>CAS #</u> <u>Common I</u>

titratable iodine 3 - 7% 26617-87-8 lactic acid (88%) 5 - 10% 79-33-4

# 4. FIRST-AID MEASURES

#### **Necessary Measures:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or phy IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash before reuse. Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present arrinsing. Immediately call a poison centre or physician.

### Most important symptoms, both acute and delayed:

Causes serious eye damage.

Causes severe skin burns and eye damage.

#### Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

#### **5. FIRE-FIGHTING MEASURES**

#### Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

# Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide and oxides of sodium.

# Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breath

# **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

#### **Environmental precautions:**

Prevent from entering sewers, waterways or low areas.

### Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and sc Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean absorbent material, place in appropriate container and flush with water.

# 7. HANDLING AND STORAGE

# Precautions for safe handling:

Do not breathe dusts or mists.

Wash hands thoroughly after handling.

Do not ingest. Avoid contact with eyes, skin and clothing.

# Conditions for safe storage, including any incompatibilities:

Store locked up.

Keep out of reach of children. Store in a cool, dry area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters - Exposure limits:

Ingredient: titratable iodine

lactic acid (88%)

not available

Limit:

# Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

#### Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirate

### Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.): brown, viscous liquid

Odour: not available
Odour threshold: not available

**pH:** 1.2; 1% solution: 2.2

Melting/Freezing point: not available Initial boiling point and range: not available Flash point: not applicable not available **Evaporation rate:** Flammability (solid, gas): not available Upper/lower flammability or explosive limits: not available Vapour pressure: not available Vapour density: not available Relative density (specific gravity): 1.026 Solubility(ies): 100%

Partition co-efficient: n-octanol/water:not availableAuto-ignition temperature:not availableDecomposition temperature:not availableViscosity:not available

#### 10. STABILITY AND REACTIVITY

# Reactivity:

This material is considered to be non-reactive under normal use conditions.

#### Chemical stability:

Stable.

# Possibility of hazardous reactions:

Reacts with metals

# Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

# Incompatible materials:

Oxidizers / Base

#### Hazardous decomposition products:

not available

# 11. TOXICOLOGICAL INFORMATION

### POTENTIAL ACUTE HEALTH EFFECTS

**Inhalation:** May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed. Eye contact: Causes serious eye damage.

**Skin contact:** Causes severe skin burns and eye damage.

Skin absorption: not available

# POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:not availableIngestion:not availableEye contact:not availableSkin contact:not availableSkin absorption:not available

Mutagenicity: not available

Carcinogenicity: This information, if applicable, can be for

Reproductive toxicity:

Sensitization of product:

Specific Target Organ Toxicity - single exposure:

This information, if applicable, can be for This inf

<u>Ingredient:</u> <u>Data:</u>

titratable iodine Oral LD50: 3150 mg/kg (rat) lactic acid (88%) Oral LD50: 3730 mg/kg (rat)

# Other Toxicological Information on Ingredients:

#### titratable iodine

Toxicological Data:

An ingredient in this product contains iodine. Prolonged or repeated overexposure to iodine may chronic health effects. Symptoms of iodine poisoning may include skin rashes, headache, diarrhibronchitis, general depression and effects on the thyroid (goiters).

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):not availablePersistence and degradability:not availableBioaccumulative potential:not availableMobility in soil:not availableOther adverse effects:not availableEcological Information on Ingredients:not available

#### 13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal requ

#### 14. TRANSPORT INFORMATION

TDG classification: UN 3265; CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (LACTIC ACID); (

# 15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regu SDS contains all the information required by the HPR.

# **16. PREPARATION INFORMATION**

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-191

Date of Preparation: March 09, 2023
Date of Revision: March 09, 2023

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and process. Chemical Co. Ltd.

**End of Document** 

larch 09, 2023
Phone:
4:30pm MT
ooison centre or physician. in with water. Wash ician.
Immediately call a poison lenses if present and easy
.csss p.ssss and sady
national regulations.
<u>Names</u>

ysician. ı contaminated clothing	
poison centre or	
nd easy to do. Continue	
sings on the second	
ning equipment.	
coop into containers.	
up residual with	

und in Section 2. und in Section 2. und in Section 2.
/ cause adverse
ea, rhinitis, anemia,
ulations.
CLASS 8; PG III
lations (HPR) and the
1
permission of Ostrem

und in Section 2.