Safety Data Sheet

1. IDENTIFICATION

Product Identifier: LIQUID SOUR Date of Revision: M

Product Code: L528 Other Name(s): S-560

Distributed By: HADDON HOLDINGS LIMITED

Recommended Use and Restrictions on Use: laundry sour

Manufactured By: Ostrem Chemical Co. Ltd. Phone/Emergency F

2310 - 80th Avenue NW 780-440-1911 Edmonton, Alberta, Canada T6P 1N2 Mon. - Fri. 8:00am -

www.ostrem.com

2. HAZARDS IDENTIFICATION

Classification of the Mixture: Acute Toxicity - Oral - Category 4

Corrosive to Metals - Category 1

Serious Eye Damage/Irritation - Category 1 Skin Corrosion/Irritation - Category 1

Label Elements:

Hazard Pictogram(s):



Signal Word: DANGER

Hazard Statement(s): Harmful if swallowed.

May be corrosive to metals. Causes serious eye damage.

Causes severe skin burns and eye damage.

Precautionary Statement(s):

Prevention: Do not breathe dusts or mists.

Wear protective gloves, protective clothing, and eye/face protection.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Keep only in original packaging.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a p

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sk contaminated clothing before reuse. Immediately call a poison centre or phys IF INHALED: Remove person to fresh air and keep comfortable for breathing.

centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

to do. Continue rinsing. Immediately call a poison centre or physician.

Absorb spillage to prevent material-damage.

Storage: Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Disposal: Dispose of contents/container in accordance with local/regional/national/intern

Physical/health hazards not otherwise classified:

not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u> <u>Conc. w/w</u> <u>CAS #</u> <u>Common I</u>

fluorosilicic acid (22-23%) 15 - 40% 16961-83-4 hydrofluor oxalic acid 5 - 10% 144-62-7 ethanedio

4. FIRST-AID MEASURES

Necessary Measures:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or phy IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash before reuse. Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present arrinsing. Immediately call a poison centre or physician.

Absorb spillage to prevent material-damage.

Most important symptoms, both acute and delayed:

Harmful if swallowed.

Causes serious eye damage.

Causes severe skin burns and eye damage.

Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide and oxides of sodium.

Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breath

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

Environmental precautions:

Prevent from entering sewers, waterways or low areas.

Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and sc Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE

Precautions for safe handling:

Do not breathe dusts or mists.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Keep only in original packaging.

Do not ingest. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities:

Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Keep out of reach of children. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters - Exposure limits:

<u>Ingredient:</u> <u>Limit:</u>

fluorosilicic acid (22-23%)

oxalic acid

ACGIH TLV: 2.5 mg/m3

ACGIH STEL: 2 mg/m3

TLV-TWA: 1 mg/m3

Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirate

Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.):

Odour:

Odour threshold:

blue liquid

not available

not available

pH: 0.7; 1% solution: 2.3

not available **Melting/Freezing point:** Initial boiling point and range: not available Flash point: not applicable **Evaporation rate:** not available Flammability (solid, gas): not available Upper/lower flammability or explosive limits: not available Vapour pressure: not available Vapour density: not available Relative density (specific gravity): 1.085

Solubility(ies): 100%
Partition co-efficient: n-octanol/water: not available
Auto-ignition temperature: not available

Decomposition temperature:viscosity:
not available

10. STABILITY AND REACTIVITY

Reactivity:

This material is considered to be non-reactive under normal use conditions.

Chemical stability:

Stable.

Possibility of hazardous reactions:

Reacts with metals

Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

Incompatible materials:

Oxidizers / Base

Hazardous decomposition products:

not available

11. TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS

Inhalation: Harmful if inhaled.
Ingestion: Harmful if swallowed.

Eye contact: Causes serious eye damage.

Skin contact: Causes severe skin burns and eye damage.

Skin absorption: not available

POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation:not availableIngestion:not availableEye contact:not availableSkin contact:not availableSkin absorption:not available

Mutagenicity: not available

Carcinogenicity:

Reproductive toxicity:

Sensitization of product:

Specific Target Organ Toxicity - single exposure:

This information, if applicable, can be for This information, if applicable, c

Toxicological Data:

<u>Ingredient:</u> <u>Data:</u>

fluorosilicic acid (22-23%)
Oral LD50: 125 mg/kg (rat)
oxalic acid
Oral LD50: 475 mg/kg (rat)

Other Toxicological Information on Ingredients:

fluorosilicic acid (22-23%)

Liquid or vapours can cause burns which may not be apparent for hours. Prolonged exposure can changes, corrosive effect on mucous membranes, ulceration of nose, throat and bronchial tubes pulmonary edema, fluorosis, coma and death.

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available
not available
not available
not available
not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regu

14. TRANSPORT INFORMATION

TDG classification: UN 1760; CORROSIVE LIQUID, N.O.S. (FLUOROSILICIC ACID, OXALIC ACID

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regu SDS contains all the information required by the HPR.

16. PREPARATION INFORMATION

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-191

Date of Preparation: March 09, 2023
Date of Revision: March 09, 2023

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and process. Chemical Co. Ltd.

S-560

larch 09, 2023	
Phone:	
4:30pm MT	
•	
oison centre or physician. in with water. Wash	
ician.	
Immediately call a poison	
lenses if present and easy	
national regulations.	
34.5	

osilicic acid, fluosilicic acid
nic acid
ysician. contaminated clothing
poison centre or
nd easy to do. Continue
ning equipment.
coop into containers. up residual with

und in Section 2. und in Section 2. und in Section 2. und in Section 2.
an result in: bone , cough, shock,
ulations.
ID); CLASS 8; PG II
letions (LIDD) and the
lations (HPR) and the
4
1

und in Section 2.